

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	((cache near4 miss\$3) with (dependent near4 delay)) and ((load and integer and float\$3?point) near4 pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:11
L4	0	((cache near4 miss\$3) with (dependent near4 delay)) and ((load and integer and float\$3?point) with pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:11
L5	0	((cache near4 miss\$3) with (dependent near4 delay)) and ((load and integer and float\$3?point) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:12
L6	0	((cache near4 miss\$3) with (dependent near4 delay)) and ((load and integer and (float\$3 near4 point)) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:12
L7	0	((cache near4 miss\$3) with (dependent with delay)) and ((load and integer and (float\$3 near4 point)) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:12
L8	0	((cache near4 miss\$3) with (dependent with delay)) and ((load and integer and (float\$3 with point)) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:13
L9	0	((cache with miss\$3) with (dependent with delay)) and ((load and integer and (float\$3 with point)) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:13
L10	5	((cache with miss\$3) same (dependent with delay)) and ((load and integer and (float\$3 with point)) same pipelines)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17
L11	0	((cache and miss\$3) and (dependent and delay)) and ((load and integer and (float\$3 and point)) and pipelines)	EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17
L12	0	((cache same miss\$3) same (dependent same delay)) same ((load and integer and (float\$3 same point)) same pipelines)	EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17
L13	0	((cache same miss\$3) same (dependent same delay)) same ((load same integer same (float\$3 same point)) same pipelines)	EPO; JPO; IBM_TDB	OR	OFF	2006/12/05 13:17

EAST Search History

L14	5	((cache with miss\$3) same (dependent with delay)) and ((load and integer and (float\$3 with point)) same pipelines)	US-PGPUB; USPAT	OR	OFF	2006/12/05 13:19
L15	5	((cache same miss\$3) same (dependent same delay)) and ((load and integer and (float\$3 with point)) same pipelines)	US-PGPUB; USPAT	OR	OFF	2006/12/05 15:26
L16	0	((cache with miss\$3) with (dependent with delay)) and ((load same integer same (float\$3 with point)) same pipelines)).clms.	US-PGPUB	OR	OFF	2006/12/05 15:27
L17	0	((cache with miss\$3) with (dependent with delay)) and ((load same integer same (float\$3 with point)) same pipelines)).clm.	US-PGPUB	OR	OFF	2006/12/05 15:27
L18	0	((cache with miss\$3) same (dependent with delay)) and ((load same integer same (float\$3 with point)) same pipelines)).clm.	US-PGPUB	OR	OFF	2006/12/05 15:28
L19	0	((cache with miss\$3) same (dependent with delay)) and (fill with tag\$1)).clm.	US-PGPUB	OR	OFF	2006/12/05 15:28
S1	1	("20030061467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 15:54
S2	1	("20030061465").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 15:54
S3	1	("6643767").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 16:29
S4	11	("5012403" "5421021" "5519841" "5784603" "5944818" "5966544" "6098166" "6163838" "6205542" "6212626" "6240509").PN.	USPAT	OR	OFF	2004/09/17 10:27
S5	10	(instruction adj1 queue) near4 (replay or reissue)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 12:58

EAST Search History

S6	3	(replay or reissue) near4 (load adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:37
S7	13	(replay or reissue) with (load adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 12:55
S8	16	(replay or reissue) same (load adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 12:56
S9	12	(instruction adj1 queue) with (replay or reissue)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:18
S10	25	(instruction adj1 queue) same (replay or reissue)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:19
S11	24	(replay or reissue) near4 (cache adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:37
S12	0	(replay or reissue) near4 (cache adj1 load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:27
S13	47	(replay or reissue) with (cache adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:28
S14	47	(replay or reissue) with (cache adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:32
S15	5	(cache adj1 miss) near4 ((fill or recovery) near4 tag\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:35
S16	0	scoreboard\$3 near4 ((replay or reissue or re?execute) near4 (cache adj1 miss))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:36
S17	2	scoreboard\$3 with ((replay or reissue or re?execute) with (cache adj1 miss))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:36

EAST Search History

S18	2	scoreboard\$3 same ((replay or reissue or re?execute) same (cache adj1 miss))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:36
S19	0	re?execute near4 (load adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:37
S20	1	re?execute with (load adj1 miss)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:57
S21	18	((("5630157") or ("6195744") or ("5887185") or ("5673426") or ("5933618") or ("5991884") or ("6282663") or ("6219796") or ("5666506") or ("5655096") or ("5625837") or ("5546593") or ("5497499") or ("5488730") or ("5487156") or ("5790829") or ("5784588") or ("6076153"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 13:58
S22	1	("20030061470").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:34
S23	240	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:58
S24	416	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:58
S25	459	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:58
S26	426	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:58

EAST Search History

S27	233	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 09:59
S28	1	(replay or reissue) near4 (pipeline adj1 stall)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 10:05
S29	1	(replay or reissue) with (pipeline adj1 stall)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 10:05
S30	6	(replay or reissue) same (pipeline adj1 stall)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 10:08
S31	17	(replay or reissue) near4 stall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/21 10:08
S32	266	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:48
S33	438	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:48
S34	482	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:48
S35	460	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:49
S36	255	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:49
S37	0	((replay\$3 or re?issu\$3 or re?execut\$3) near4 (pipelin\$3 adj1 stall\$3)) with tag\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:49

EAST Search History

S38	3	((replay\$3 or re?issu\$3 or re?execut\$3) near4 (pipelin\$3 adj1 stall\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:51
S39	6	((replay\$3 or re?issu\$3 or re?execut\$3) with (pipelin\$3 adj1 stall\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:52
S40	31	((replay\$3 or re?issu\$3 or re?execut\$3) same (pipelin\$3 adj1 stall\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:55
S41	71	(pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:55
S42	0	(pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2) near4 tag\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:55
S43	0	(pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2) near4 tag\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:55
S44	0	((pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2)) with tag\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:56
S45	3	((pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2)) with (flag\$1 or signal\$1 or indicat\$4 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:57
S46	15	((pipelin\$3 adj1 stall\$3) near4 (cache adj1 miss\$2)) same (tag\$1 or flag\$1 or signal\$1 or indicat\$4 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 08:58
S47	32	("5027270").URPN.	USPAT	OR	OFF	2005/03/18 09:33
S48	294	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 08:10
S49	465	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 08:10

EAST Search History

S50	510	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 08:10
S51	491	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 08:10
S52	279	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 08:10
S53	306	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:40
S54	478	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:41
S55	526	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:41
S56	520	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:41
S57	303	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:41
S58	306	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:23
S59	478	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:23

EAST Search History

S60	526	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:23
S61	520	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:23
S62	303	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:24
S63	230	(cach\$3 near4 miss\$3) with (queue\$3 or buffer\$3) with tag\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:25
S64	33	(cach\$3 near4 miss\$3) near4 (queue\$3 or buffer\$3) near4 tag\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:27
S65	336	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:37
S66	501	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:37
S67	553	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:37
S68	560	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:37
S69	326	(712/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:43

EAST Search History

S70	6	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and (load near4 miss\$3 near4 (tag\$4 or identif\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:48
S71	6	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load near4 miss\$3) with (tag\$4 or identif\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:49
S72	7	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load with miss\$3) with (tag\$4 or identif\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:59
S73	30	((load\$5 and integer\$1 and (float\$3 with point\$3)) with pipelin\$3) and ((load with miss\$3) with (tag\$4 or identif\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 12:54
S74	0	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load with miss\$3) with (recover\$3 or re?execut\$3 or fix\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 13:00
S75	0	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load with miss\$3) same (recover\$3 or re?execut\$3 or fix\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 13:00
S76	0	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load with miss\$3) same (resolut\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 13:01
S77	7	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) near4 pipelin\$3) and ((load with miss\$3) same (data near4 (fetch\$3 or retriev\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 13:06
S78	15	((load\$5 and integer\$1 and (float\$3 adj1 point\$3)) with pipelin\$3) and ((load with miss\$3) same (data near4 (fetch\$3 or retriev\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 13:07
S79	1	("6859870").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 14:16